


DJ Wilcox Natural Area



Guidelines and Safety Information:

- Be cautious of uneven trail surfaces.
 - Please remain on the trails.
 - Carry adequate drinking water.
 - In case of lightning, seek a low area away from trees, fence lines and tall objects.
 - In case of emergency, call 911.
 - While hiking the trail you may encounter animals indigenous to this area (inc. Alligators). Please observe from a safe distance.
 - Leave all plant life intact.
 - Please leave site cleaner than you found it. "Pack it in, pack it out."
 - Use at own risk.
 - This site may be wet due to recent rainfall, bug repellent and water proof boots recommended.
- To learn more about St. Lucie County's natural heritage, there are more than 20 self-guiding interpretive trails located within the Natural Areas/Preserves. Each trail describes the most common plants, as well as significant geographical and historical features of the site.



St. Lucie County
Environmental Resources
Department

2300 Virginia Avenue
Ft. Pierce, FL 34982

772-462-2525




http://www.stlucieco.gov/erd/environmental_lands.htm
Site Open: Sunrise to Sunset

1) Myrsine -*Rapanea punctata*- Myrsine, a plant of hardwood hammocks and swamp areas, has thick, leathery leaves. The small flowers and berries along the stems distinguish it from the very similar looking Marlberry. The dark blue to black fruits it produces are highly prized by birds.



2) Swamp Fern - *Blechnum serrulatum* -

This is the only species of *Blechnum* that occurs in Florida. Usually a common understory plant of the hydric hammock, this fern can also be found in wetter marshes and prairies. The species name *serrulatum*, refers to the serrated edge of the leaves.



3) Bracken fern -*Pteridium aquilinum* -

This species can be easily identified by its large triangular fronds that are divided into three main parts. This fern was used as currency in the Middle Ages, and the fiddleheads and rhizomes were eaten by early peoples around the country.



4) Sand Live Oak - *Quercus geminata* -

The species name of this tree, *geminata*, means "twins" and refers to the paired acorns of the tree. It is very similar to Live Oak, but grows on drier, more sandy sites where it is exposed to intense sun exposure and limited water availability. As a result, it grows shorter than Live Oak. The thick, waxy leaves are also distinctly more curled under at the margins, which are adaptations to conserve water.



5) Saw Palmetto -*Serenoa repens* -

This shrub comprises the majority of the understory in pine flatwoods ecosystems. The stem usually grows horizontal to or under the ground, but occasionally will grow more upright. Named for the saw-like teeth along its stem, it, like the Sand Live Oak, has adapted to live in a sometimes harsh environment. In addition to having thick, waxy leaves, the vertical growth of the leaves allows for less exposure to the hot noontime sun.



7) Chapman Oak -*Quercus chapmanii* -

Chapman Oak is one of a few species of oaks considered "scrub" oaks as it grows in sandy, well-drained soils of scrubby ecosystems. Like other plants of habitats that experience high sun exposure and well drained soils, growth of scrub oaks is stunted to conserve water. Similar in appearance to the Myrtle Oak, another scrub oak, this species can be distinguished by its obovate to oblong leaves with wavy margins. Deer, turkeys, raccoons, squirrels and the threatened Florida Scrub-Jay feed on the acorns of these oaks, and their branches provide nesting habitat for a number of bird species.




8) Shiny Lyonia -*Lyonia lucida* - Also known as "fetterbush", this plant has smooth, thick leaves and pink, bell shaped flowers that are attractive to insects. This showy plant is a good choice for native plant landscaping.




The fibrous trunk helps protect it from fire, and is one of the first plants to sprout back just days afterwards. This is an important plant to Florida's wildlife. Bear, deer, raccoons, opossums, foxes, gopher tortoises and birds eat the berries it produces. Mammals including panther, bear and deer birth their young under its cover, and many birds use the fibers for nesting material. The berries are also valuable to humans for medicinal purposes.

6) Wax Myrtle -*Myrica cerifera* -


The leaves of this plant are aromatic when crushed, and were used by early native peoples and pioneers as a natural insect repellent. Wax from the berries was also used to make candles and soap. The fruits of this plant is very important to native birds, especially wintering warblers and other migrants. These fruits enable Yellow-rumped Warblers, a mostly insectivorous species, to migrate earlier in the spring and later in the fall than other warblers. It is thought that these warblers are thought to be one of the few vertebrates that can digest wax, a major constituent of the berries. This plant also provides excellent bird nesting habitat and is a good choice for attracting birds to backyards.




9) Swamp Bay -*Persea palustris*- Like other Bays, the leaves of this species are aromatic when crushed and have been used to flavor foods. This species can be differentiated by the similar Red Bay by the presence of rusty hairs along the midrib on the underside of the leaf and along the stems. Galls, swollen structures created by insects for food and broodaring purposes, are often present on Bays. Along with the Red Bay, the leaves of this plant are eaten by the Palamedes and Spicebush Swallowtail caterpillars. It is thought that this species might be susceptible to a fungus carried by the Redbay Ambrosia Beetle introduced from Asia that is damaging the Red Bay.




10) Laurel Oak -*Quercus laurifolia*- Unlike the long-lived Live Oak, the Laurel Oak is shorter lived, only reaching a lifespan of up to about 70 years. When young, the bark of the Laurel oak is rather smooth, then later develops shallow fissures with rough edges. This species usually grows scattered with other hardwoods in well-drained hammocks near the edges of streams and rivers. In Florida, it can also be found in flatwoods and moderately well drained soils. This oak produces large crops of acorns regularly. It is an important wildlife food resource for deer, raccoons, turkeys, ducks, quail, birds, squirrels, and other rodents.




13) Live Oak -*Quercus virginiana* - Common in hydric hammock ecosystems, this species is named for its longevity, reaching upwards of 300 years old. It is slow growing, with about a 1.5 inch growth in circumference each year. Trees have been reported with a branch spread of more than 150 feet and a trunk of 30 ft. or more. The acorns produced by these trees provide food for squirrels and birds, and also helped to sustain early peoples. Its strong wood was a vital part of wooden ship construction. It was reported that by 1832, almost all merchantable live oak within hauling distance had been cut to build ships.




14) Winged Sumac -*Rhus copallina* - Although not an important food item for the FL Scrub-Jay, this plant provides food for other wildlife. The nectar and pollen of the flowers attract many kinds of insects, especially wasps, flies, and bees. The leaves are a food source for the caterpillars of several species of moths. Songbirds eat the fruits and help distribute the seeds. Both rabbits and deer browse on the foliage, stems, and bark. Being deciduous, it provides beautiful fall foliage and is a good choice for native plant landscaping.



15) Myrtle Oak -*Quercus myrtillifolia*- Myrtle Oak, another scrub oak, can be differentiated from the Chapman Oak by its oval to oblong shaped leaves that are thicker and waxier. The leaf margins are smooth (not wavy) and are also revolute, or turned downwards, to allow for even greater water retention.



16) Sabal / Cabbage Palm -*Sabal palmietto* - Our state tree can be found in several ecosystems including upland habitats such as hammocks and flatwoods, but also can grow in swamps, marshes and wet prairie due to its high water tolerance. You might be able to see a difference in the trunk among individual trees. Some trees have a smooth trunk, while others still possess boot jacks, or frond bases. As the tree matures, these jacks drop off, leaving the tree with a smooth trunk. The edible bud, called the "heart" of the palm, is considered a delicacy and has sustained many early settlers. Although harvesting it kills the tree, it is still consumed today.



12) Loblolly Bay -*Gordonia lasianthus* - The 'bay' portion of this common name is misleading, as this tree species is a member of the Tea family. As such, the leaves of this tree are not aromatic. It is often found growing along Sweetbay, a member of the Magnolia family. The bark of this species was once used for tanning leather.

